CATALOG 176

MILWAUKEE Tool & Equipment Company

Blacksmiths' & Tinmen's Tools





You will find the most complete line of Blacksmiths' and Tinman's Tools available anywhere on the following pages.

All tools listed in this catalog are made in England. Some are lighter or smaller than domestic made only when the variance makes them more useful and easier to work with. All will do the job for which they are intended. You have our warranty on that.

Here at Milwaukee Tool our pledge is to provide quality, value and satisfaction and it has been that way since Great Grandfather Gutenkunst started the Milwaukee Hay Tool Company back in 1877.

Other product lines available from Milwaukee Tool are vises, C clamps, pipe wrenches, pipe threaders, pipe cutters and jacks. Ask for Catalog No. 173 to get the facts.

MILWAUKEE Tool & Equipment Company

2773 South 29th St. • Milwaukee, WI • 414/645-0200

CAST STEEL ANVILS

MILWAUKEE

Quality cast steel, heat treated and tempered. Reduces strain as the softer inner body absorbs impact blows through the hardened surface.

Part No.	Lgth. OA, in.	Ht. OA, in.	Weight Min.	Weight Max.
600008	8 1/4	3 7/8	7	9
600030	12 1/4	6 3/8	27	33
600056	15 1/8	7	52	60
600084	19 1/8	8	80	88
600100	20 1/2	9	95	105
600140	22 5/8	9 3/8	135	145
600200	27	10 3/4	190	210
600280	30 1/2	13 1/2	270	290
600336	34 1/2	14	326	346
600392	37	15	382	400
600504	40	16	495	510

Specifications

	Face, in. Length	Face, in. Width	Hardie hole, in.	Pritchel hole, in.
600008	5	2	----	3/8
600030	7 1/2	2 5/8	5/8	3/8
600056	9 1/2	3	5/8	3/8
600084	11 3/4	3 1/2	5/8	3/8
600100	12 1/2	3 1/2	3/4	3/8
600140	14	4 3/8	1 1/4	1/2
600200	16 1/2	4 1/4	1 1/4	1/2
600280	18 3/4	4 3/4	1 1/4	3/4
600336	21	5	1 1/4	3/4
600392	22 1/2	5 3/4	1 1/4	3/4
600504	24 1/2	6 1/2	1 1/4	3/4

STANDS



Part No.	For Anvil	Height	Wt. lbs.
601100	600100	11	86
601140	600140	11	96
601200	600200	11	102
	for Swage Block		
611124	610124	11 1/4	140
611135	610135	11 3/4	168
611145	610145	11 3/4	175
611155	610155	11 3/4	196

SWAGE BLOCKS



Part No.	Size	Wt. lbs.
610093	9 x 9 x 3	47
610124	12 x 12 x 4	108
610135	13 x 13 x 5	154
610136	13 x 13 x 6	175
610145	14 x 14 x 5	185
610155	15 x 15 x 5	224

STEEL LEG VISE



Part No.	Jaw Size	Overall Height	Wt. lbs.
602604	4 1/2"	37"	55
602605	5 "	37"	60
602606	6 "	37"	70

LEG VISE STAND



Part No.	Height
602710	28"

ALL-STEEL STAND is designed for above leg vises, provides clearance and accessability on all sides.

BOTTOM SWAGE

Part No.	Size	Wt. lbs.
632008	1/4"	2.75
632012	3/8"	3
632016	1/2"	3

TOP SWAGE



Part No.	Size
633008	1/4"
633012	3/8"
633016	1/2"

BOTTOM FULLER



Part No.	Size	Wt. lbs.
634008	1/4"	2
634012	3/8"	2
634016	1/2"	2

SQUARE FLATTER



Part No.	Wt. lbs.
635015	1 1/2
635025	2 1/2

HARDIE



Part No.	Blade Size	Shank Size	Wt. lbs.
637020	1 3/4"	5/8"	1.25
637024	1 3/4"	1 1/4"	2

TOP FULLER



Part No.	Size
638008	1/4"
638016	1/2"

HOT CHISEL



Part No.	Wt. lbs.
639003	3

COLD CHISEL



Part No.	Wt. lbs.
640003	3

FLAT CUT COLD CHISEL

Part No.	Size
643008	6 x 1/4
643012	6 x 3/8
643016	8 x 1/2
643020	8 x 5/8
643024	10 x 3/4
643028	10 x 7/8
643032	12 x 1

CROSS CUT COLD CHISEL

Part No.	Size
644008	6 x 1/4
644012	6 x 3/8
644016	8 x 1/2
644020	8 x 5/8
644024	10 x 3/4
644028	10 x 7/8
644032	12 x 1

ROUND PUNCHES



Part No.	Size	Wt. lbs.
647008	1/4	2.5
647012	3/8	2.5
647016	1/2	2.5
647020	5/8	2.75
647024	3/4	3.5
647028	7/8	3.5
647032	1	2.75

SQUARE PUNCHES



Part No.	Size	Wt. lbs.
648008	1/4	2
648012	3/8	2.25
648016	1/2	2.75
648020	5/8	2.75
648024	3/4	3
648028	7/8	3
648032	1	3

THREE ARM STAKE



Multi Surfaces offer a variety of uses.

Part No.	Wt. lbs.
671026	5.5

BICK IRON



Elongated Anvil for bending and trueing.

Part No.	Length	Wt. lbs.
671030	16″	13.75

PIPE STAKE



For forming tubes and pipes and closing seams.

Part No.	Length	Dia.	Shank	Wt. lbs.
671045	17 3/4	1 3/4″	1 1/16 x 7 1/4	15.25

SIDE STAKE

Part No.
671055

Similar to 671045 but has a longer shank and shorter head.

Length	Dia.	Shank	Wt. lbs.
12 3/4″	1 3/4″	1 5/8 x 10 1/2″	15

FUNNEL STAKE

For forming cones and trueing bases of Bowls etc.

Part No.	Length	Dia. Lg. End	Wt. lbs.
671069	7 1/2″	4″	8.5

TINMAN'S ANVIL

For forming and trueing boxes and curved objects.

Part No.	Size	Wt. lbs.
671070	3″ x 3″	14.5

HATCHET STAKE



For forming acute angle bends — making seamed joints etc.

Part No.	Length	Wt. lbs.
671080	10″	11

HALF MOON STAKE

For forming circular bases with seamed joint (skill required)

Part No.	Wt. lbs.
671093	3.25

ROUND BOTTOM STAKE

For trueing and turning edges on circular bases.

Part No.	Dia.	Wt. lbs.
671100	3″	9.25

DOME HEAD STAKE



Long shank for working bases of deep vessels and bowl shapes.

Part No.	Dia.	Wt. lbs.
671102	1 5/8″	6.5

PEPPER BOX STAKE



Part No.	Dia.	Wt. lbs.
671103	3″	8.75

MUSHROOM HEAD STAKE

Part No.	Dia.	Wt. lbs.
671104	3″	7

BALL HEAD STAKE

For blending contours, turning bowl ends and forming spout junctions.

Part No.	Dia.	Wt. lbs.
671105	3″	8

OVAL HEAD STAKE

For shaping spoons etc.

Part No.	Wt. lbs.
671106	8

GROOVING STAKE

Variety of semi-circular grooves useful in forming beads and edges.

Part No.	Size	Wt. lbs.
671110	8 1/8″ x 1 1/2	7 1/2

CREASING STAKE

General purpose flat face plus grooves for grooving and trueing on one tool.

Part No.	Length	Wt. lbs.
671120	8½"	8

STAKE HOLDER



A firm base for all long shanked stakes. Includes key to dislodge stakes.

Part No.	Holes Size	Wt. lbs.
671130	1⅝"	13.75

TINMANS HORSE



Holds Horse Heads 671141 thru 671149 in either of two positions with maximum clearance.

Part No.	Length	Hole	Wt. lbs.
671140	30"	1¼ x 1½	25

SQUARE HEAD

General flat surface for flatting and stretching.

Part No.	Size	Wt. lbs.
671141	2" x 2"	2.5

LONG HEAD

For large circular work and internal planishing at bowl mouths having a slight outward curve.

Part No.	Size	Wt. lbs.
671142	3¼" x 1¾"	3.25

SADDLE HEAD

Part No.	Size	Wt. lbs.
671143	3⅛" x 2"	4

OVAL FLAT HEAD



Tinman and artmetal worker will find useful in turning up bottoms of oval vessels and forming of rims to bases.

Part No.	Dia.	Wt. lbs.
671144	2"	2.75

SHALLOW OBLONG HEAD

Useful for general forming.

Part No.	Length	Wt. lbs.
671145	3¾"	3.25

DEEP OBLONG HEAD



For raising and shaping by planishing.

Part No.	Length	Wt. lbs.
671146	3¾"	3.25

ROUND FLAT HEAD

For flatting, stretching, etc.

Part No.	Dia.	Wt. lbs.
671147	2"	3

SHALLOW ROUND HEAD

For perfecting bowl shapes.

Part No.	Dia.	Wt. lbs.
671148	2"	3

DEEP ROUND HEAD

Good for bowl shaping having a deeper form.

Part No.	Dia.	Wt. lbs.
671149	2"	3

MANDREL CONE



Part No.	Size	Wt. lbs.
671200	18" x 6" x 2"	38

MANDREL BAR

Part No.	Size	Wt. lbs.
671210	36" x 1¾"	28

CANDLE MOULD STAKE

Has long taper and short taper horns for tube shaping or forming and general purposes.

Part No.
671240

SQUARE STAKE



Part No.	Size	Wt. lbs.
671440	4 x 4 x 1½"	10

BLOWHORN STAKE



Large horn for shaping abrupt tapers, funnels. Smaller horn shapes taper tubes.

Part No.	Length	Wt. lbs.
671450	19½"	15

CONDUCTOR STAKE

Two round horns for shaping, forming or seaming pipe, tubes, cylinders.

Part No.	Horn Dia.	Length	Wt. lbs.
671520	2" + 1⅞"	18"	24

FUNNEL & SIDE STAKE



Forming of small cones, trueing of rings and cylindrical work.

Part No.	Length	Dia.	Wt. lbs.
671540	18½"	1¾"	20.75

EXTINGUISHER STAKE



Similar to Bick Iron No. 671030 except shorter for bending and trueing.

Part No.	Length	Wt. lbs.
671550	10"	7

BENCH PLATE



Popular stake plate holds all size stakes.

Part No.	Size	Wt. lbs.
671830	30"x 8"	51
671836	36"x 8"	61



ART METAL HORSE

For art metal heads 672141 — 672149.

Part No.	Shank	Hole	Wt. lbs.
No. 672141	9" x 1¼" x ⅞"	¾"	4



TAPER ROUND FLAT HEAD

Part No.	Dia.	Wt. lbs.
672142	2½"	1.25

LONG TAPER SADDLE HEAD

Part No	Size	Wt. lbs.
672143	2½"x1½"	1

SHALLOW ROUND BUTTON HEAD

Part No.	Dia.	Wt. lbs.
672144	2¼"	.75



MINIATURE ANVIL HEAD

Part No.	Length	Wt. lbs.
672145	5¼"	.75

ROUND DOME HEAD

Part No.	Dia.	Wt. lbs.
672146	2¼"	.75

SADDLE HEAD

Part No.	Size	Wt. lbs.
672147	2½"x1½"	1.25



MINIATURE TINMANS ANVIL HEAD

Part No.	Size	Wt. lbs.
672148	1¾"x1¾"	1.25

DEEP ROUND MUSHROOM HEAD

Part No.	Dia.	Wt. lbs.
672149	2½"	1.25



RAKE

Part No.	Overall Length	Wt. lbs.
681300	25"	1.25

POKER

Part No.	Overall Length	Wt. lbs.
681400	27"	1.25



SHOVEL

Part No.	Overall Length	Wt. lbs.
681500	25"	2



CLOSE MOUTH TONGS

Part No.	Overall Length	Jaw Length
681600	18"	2⅝"



OPEN MOUTH TONGS

Part No.	Overall Length	Jaw Length
681700	18"	2⅝"



HOLLOW BIT TONGS

Part No.	Overall Length	Jaw Length	Size
681816	18"	2½"	½"
681820	18"	1¼"	¾"



DBL HOLLOW BIT TONGS

Part No.	Overall Length	Jaw Length	Size
681916	18"	2½"	½"
681920	18"	2"	⅝"



BOLT TONGS

Part No.	Overall Length	Jaw Length	Size
682012	18"	3"	⅜"
682016	18"	3¼"	½"
682020	18"	3½"	⅝"



PICK UP TONGS

Part No.	Overall Length	Jaw Length
682100	18"	5"



UNIVERSAL TONGS

Part No.	Overall Length	Jaw Length
682200	18"	3"



SQUARE MOUTH TONGS

Part No.	Overall Length	Jaw Length
682300	18"	2¾"



SIDE MOUTH TONGS

Part No.	Overall Length	Jaw Length
682400	18"	3"



FLAT MOUTH TONGS

Part No.	Overall Length	Jaw Length
682500	18"	2¾"



ROUND MOUTH TONGS

Part No.	Overall Length	Jaw Length	Size
682600	18"	2¾"	5/16"



RIVET TONGS

Part No.	Overall Length	Jaw Length
682700	18"	5½"



FARRIER TONGS

Part No.	Overall Length	Jaw Length
682800	18"	1¼"



BAND JAW TONGS

Part No.	Overall Length	Jaw Length
682900	18"	2¼"



ROUND SIDE MOUTH TONGS

Part No.	Overall Length	Jaw Length
683000	18"	2¾"

PLANISHING HAMMER



A primary tool used in shaping and forming. One head has a flat face, the other head has a bevelled face.

Part No.	Wt. lbs.
691240	.5
691241	.75
691242	1
691243	1.25
691244	2

BLOCKING HAMMER



Has one square head and one round head with flat faces.

Part No.	Wt. lbs.
691250	.75

SMOOTHING HAMMER



Both heads have bevelled faces.

Part No.	Wt. lbs.
691270	.75

PANING HAMMER



Acute angeled faces tuck in metal when forming wire edges.

Part No.	Wt. lbs.
691281	.5
691282	.75
691283	1

CREASING HAMMER



Has rounded angle faces for forming grooves on creasing or grooving stakes.

Part No.	Head Length	Wt. lbs.
691290	4½″	.75

HOLLOWING HAMMER



For forming small bowl shapes.

Part No.	Head Length	Wt. lbs.
691301	5″	1
691302	5½″	2

RIVETTING HAMMER



Round head with beveled face and rounded cross pein.

Part No.	Head Length	Wt. lbs.
691591	5″	1

STRETCHING HAMMER



For raising and planishing shaped cylindrical work.

Part No.	Head Length	Wt. lbs.
691601	4¾″	.5
691602	5⅜″	1

BULLET HAMMER



For hollowing. Extra long head is an advantage.

Part No.	Head Length	Wt. lbs.
691611	5⅞″	.5
691612	6¾″	1

REPOUSSE HAMMER



Used for decorative work involving embossing.

Part No.	Head Dia.	Head Length	Wt. Oz.
691636	1¾₁₆″	3″	6

FARRIERS CLAW HAMMER



Part No.	Wt. lbs.
691653	.75

SHOE TURNING HAMMER



Part No.	Wt. lbs.
691662	2.5

LEATHER SANDBAG



Part No.	Size	Wt. lbs.
691708	8″	3.75
691709	9″	5.5

HAND BELLOWS



Part No.	Size	Wt. lbs.
691791	9″	2.5
691792	10″	3

FOOT BELLOWS



Double blast provides continuous air flow.

Part No.
691798

MILWAUKEE Tool & Equipment Company

2773 SOUTH 29th STREET • MILWAUKEE, WISCONSIN 53215 • 414/645-0200

MILWAUKEE Tool & Equipment Company
2773 SOUTH 29th STREET • MILWAUKEE, WISCONSIN 53215 • 414/645-0200

APRIL 2, 1976 No. B4276D

Blacksmiths' & Tinmen's Tools
DISTRIBUTOR NET PRICE LIST
MILWAUKEE TOOLS

TERMS OF SALE

SHIPPING TERMS: F.O.B. our factory, Milwaukee, Wisconsin, shipped prepaid via our routing on orders of $600 or more.

CREDIT TERMS: 2% cash discount 10 days, net 30 days. Special terms printed on customer's orders will not be recognized where they differ from Milwaukee Tool & Equipment Co. terms.

WARRANTY: All Milwaukee tools are warranted against defective material and workmanship and the component or part will be replaced free of charge by your Milwaukee Tool Jobber-Dealer if such a defect occurs. Tools which are worn out or used for purposes for which they are not normally intended are not covered by this warranty. Milwaukee Tool & Equipment Company's responsibility for damages arising from or related to any of its tools shall be limited to the replacement of the tool.

RETURNS: Tools of current design and finish and in resaleable condition, in original cartons may be returned only with WRITTEN FACTORY AUTHORIZATION. Prepaid freight and a 10% handling charge must be borne by the customer. Credit will be allowed on the basis of either current price or price at the time of shipment, whichever is lower.

MILWAUKEE TOOL & EQUIPMENT CO.
P. O. Box 2039 Milwaukee, Wisconsin 53201 (414) 645-0200

Prices, terms, and conditions subject to change without notice.

Part No.	Dist. Price	Description	Wt. lbs.
600008	8.49	8 lb. Anvil, Cast Iron	8
600030	54.25	30 lb. Anvil, Cast Steel	30
600056	83.25	56 lb. Anvil, Cast Steel	56
600084	119.63	84 lb. Anvil, Cast Steel	84
600100	132.75	100 lb. Anvil, Cast Steel	100
600140	179.50	140 lb. Anvil, Cast Steel	140
600200	236.75	200 lb. Anvil, Cast Steel	200
600280	293.00	280 lb. Anvil, Cast Steel	280
600336	385.00	336 lb. Anvil, Cast Steel	336
600392	491.25	392 lb. Anvil, Cast Steel	392
600504	625.00	504 lb. Anvil, Cast Steel	504
601100	84.98	Anvil Stand for 600100	86
601140	99.00	Anvil Stand for 600140	96
601200	144.98	Anvil Stand for 600200	102
602604	114.25	4½" Steel Leg Vise	55
602605	133.50	5" Steel Leg Vise	60
602606	140.00	6" Steel Leg Vise	70
602710	97.50	Stand for Leg Vise, 28" ht.	
610093	48.75	Swage Block, 9 x 9 x 3	47
610124	69.00	Swage Block, 12 x 12 x 4	108
610135	113.25	Swage Block, 13 x 13 x 5	154
610136	121.25	Swage Block, 13 x 13 x 6	175

Part No.	Dist. Price	Description	Wt. lbs.
610145	119.48	Swage Block, 14 x 14 x 5	185
610155	132.98	Swage Block, 15 x 15 x 5	224
611124	97.75	Stand for Swage Block 610124	140
611135	117.00	Stand for Swage Block 610135	168
611145	130.25	Stand for Swage Block 610145	175
611155	166.98	Stand for Swage Block 610155	196
632008	10.18	¼" Bottom Swage	2.75
632012	10.18	3/8" Bottom Swage	3
632016	10.18	½" Bottom Swage	3
633008	13.35	¼" Top Swage	
633012	13.35	3/8" Top Swage	
633016	13.35	½" Top Swage	
634008	10.18	¼" Bottom Swage	1
634012	10.18	3/8" Bottom Swage	1
634016	10.18	½" Bottom Swage	1
635015	14.25	Square Flatter 2 x 2	2
635025	13.90	Square Flatter 2¼ x 2¼	3
637020	8.88	5/16" Hardie	1.25
637024	10.75	1¼" Hardie	2
638008	13.35	¼" Top Fuller	
638016	13.35	½" Top Fuller	
639003	10.98	Hot Chisel	3

Part No.	Dist. Price	Description	Wt. lbs.
640003	10.98	Cold Chisel	3
643008	.65	Flat Cut Cold Chisel, 6 x ¼	
643012	.80	Flat Cut Cold Chisel, 6 x 3/8	
643016	.99	Flat Cut Cold Chisel, 8 x ½	
643020	1.35	Flat Cut Cold Chisel, 8 x 5/8	
643024	1.95	Flat Cut Cold Chisel, 10 x ¾	
643028	2.49	Flat Cut Cold Chisel, 10 x 7/8	
643032	3.15	Flat Cut Cold Chisel, 12 x 1	
644008	.65	Cross Cut Cold Chisel, 6 x ¼	
644012	.80	Cross Cut Cold Chisel, 6 x 3/8	
644016	.99	Cross Cut Cold Chisel, 8 x ½	
644020	1.35	Cross Cut Cold Chisel, 8 x 5/8	
644024	1.95	Cross Cut Cold Chisel, 10 x ¾	
644028	2.49	Cross Cut Cold Chisel, 10 x 7/8	
644032	3.49	Cross Cut Cold Chisel, 12 x 1	
647008	11.49	1/4" Round Punch	2.5
647012	11.49	3/8" Round Punch	2.5
647016	11.49	1/2" Round Punch	2.5
647020	11.49	5/8" Round Punch	2.75
647024	11.49	3/4" Round Punch	3.5
647028	11.49	7/8" Round Punch	3.5
647032	11.49	1" Round Punch	3.75
648008	11.49	1/4" Square Punch	2
648012	11.49	3/8" Square Punch	2.25
648016	11.49	1/2" Square Punch	2.75
648020	11.49	5/8" Square Punch	2.75
648024	11.49	3/4" Square Punch	3
648028	11.49	7/8" Square Punch	3
648032	11.49	1" Square Punch	3
671026	39.98	Three Arm Stake	5.5
671030	40.88	Bick Iron	13.75
671045	36.75	Pipe Stake	15.25
671055	31.88	Side Stake	15
671069	33.25	Funnel Stake	8.5
671070	41.23	Tinman's Anvil	14.5
671080	33.98	Hatchet Stake	11
671093	10.48	Half Moon Stake	3.25
671100	25.98	Round Bottom Stake	9.25
671102	27.48	Dome Head Stake	6.5
671103	29.48	Pepper Box Stake	8.75
671104	30.75	Mushroom Head Stake	7
671105	33.50	Ball Head Stake	8
671106	33.50	Oval Head Stake	8
671110	36.45	Grooving Stake	7.5
671120	31.48	Creasing Stake	8
671130	16.75	Stake Holder	13.75
671140	64.25	Tinman's Horse	25
671141	11.85	Square Head	2.5
671142	11.85	Long Head	3.25
671143	11.85	Saddle Head	4
671144	11.85	Oval Flat Head	2.75
671145	11.85	Shallow Oblong Head	3.25
671146	11.85	Deep Oblong Head	3.25
671147	11.85	Round Flat Head	3
671148	11.85	Shallow Round Head	3
671149	11.85	Deep Round Head	3
671200	112.50	Mandrel Cone	38
671210	69.88	Mandrel Bar	28
671240	41.25	Candle Mold Stake	
671440	19.99	Square Stake	10
671450	61.25	Blowhorn Stake	15
671520	46.50	Conductor Stake	24

Part No.	Dist. Price	Description	Wt. lbs.
671540	79.75	Funnel & Side Stake	20.75
671550	35.98	Extinguisher Stake	7
671830	69.98	Bench Plate, 30" x 8"	
671836	92.98	Bench Plate, 36" x 8"	
672141	19.98	Art Metal Horse	4
672142	7.75	Taper Round Flat Head	1.25
672143	7.75	Long Taper Saddle Head	1
672144	7.75	Shallow Round Button Head	.75
672145	7.75	Miniature Anvil Head	.75
672146	7.75	Round Dome Head	.75
672147	7.75	Saddle Head	1.25
672148	7.75	Mini Tinman's Anvil Head	1.25
672149	7.75	Deep Round Mushroom Head	1.25
681300	3.35	Rake	
681400	2.98	Poker	
681500	3.88	Shovel	
681600	13.75	Close Mouth Tongs	
681700	13.75	Open Mouth Tongs	
681816	14.38	Hollow Bit Tongs, 1/2"	
681820	14.38	Hollow Bit Tongs, 5/8"	
681916	14.38	Dbl. Hollow Bit Tongs, 1/2"	
681920	14.38	Dbl. Hollow Bit Tongs, 5/8"	
682012	14.63	Bolt Tongs, 3/8"	
682016	14.63	Bolt Tongs, 1/2"	
682020	14.63	Bolt Tongs, 5/8"	
682100	14.38	Pick-up Tongs	
682200	14.38	Universal Tongs	
682300	18.48	Square Mouth Tongs	
682400	13.75	Side Mouth Tongs	
682500	18.48	Flat Mouth Tongs	
682600	18.48	Round Mouth Tongs	
682700	14.98	Rivet Tongs	
682800	13.75	Farrier Tongs	
682900	13.75	Band Jaw Tongs	
683000	18.48	Round Side Mouth Tongs	
691240	5.88	Planishing Hammer, 1/2 lb.	
691241	6.20	Planishing Hammer, 3/4 lb.	
691242	6.48	Planishing Hammer, 1 lb.	
691243	7.75	Planishing Hammer, 1½ lb.	
691244	9.75	Planishing Hammer, 2 lb.	
691250	6.75	Blocking Hammer, 3/4 lb.	
691270	5.35	Smoothing Hammer, 3/4 lb.	
691281	6.75	Paning Hammer, 1/2 lb.	
691282	7.25	Paning Hammer, 3/4 lb.	
691283	7.75	Paning Hammer, 1 lb.	
691290	7.25	Creasing Hammer, 3/4 lb.	
691301	7.25	Hollowing Hammer, 1 lb.	
691302	9.75	Hollowing Hammer, 2 lb.	
691591	7.25	Rivetting Hammer, 1 lb.	
691601	7.75	Stretching Hammer, 1/2 lb.	
691602	8.75	Stretching Hammer, 1 lb.	
691611	7.75	Bullet Hammer, 1/2 lb.	
691612	8.75	Bullet Hammer, 1 lb.	
691636	17.25	Repousse Hammer, 6 oz.	
691653	7.75	Farrier's Claw Hammer, 3/4 lb.	
691662	9.75	Shoe Turning Hammer, 2½ lb.	
691708	10.48	Leather Sandbag, 8"	
691709	11.98	Leather Sandbag, 9"	
691791	21.88	Hand Bellows, 9"	
691792	24.48	Hand Bellows, 10"	
691798	144.50	Foot Bellows	